


Paloma

Understanding Hashimoto's Thyroiditis

Paloma

Table of Contents

- Introduction to Hashimoto's Thyroiditis
- Anatomy and Function of the Thyroid Gland
- Hashimoto's Thyroiditis and Normal Antibodies
- Diagnosis of Hashimoto's Thyroiditis
- Treatment Approaches for Hashimoto's Hypothyroidism
- Resources and References

Paloma

What is Hashimoto's Thyroiditis?

Hashimoto's Thyroiditis is an autoimmune disorder that primarily affects the thyroid gland. It is the most common cause of hypothyroidism, an underactive thyroid, in the United States. In Hashimoto’s, the immune system mistakenly attacks thyroid tissue, leading to inflammation and gradual destruction of the thyroid gland over time. This destruction impairs the thyroid's ability to produce hormones essential for metabolism regulation.

Hashimoto's thyroiditis affects a significant portion of the population. It is estimated that 5% to 10% of adults may have antibodies associated with this condition, which is more prevalent in women than men.

Hashimoto's Thyroiditis also has a genetic component, meaning it tends to run in families. Additionally, individuals with other autoimmune disorders (e.g., type 1 diabetes, rheumatoid arthritis) are at an increased risk of developing Hashimoto's Thyroiditis.


Paloma

Anatomy and Function of the Thyroid Gland

The thyroid gland is a butterfly-shaped endocrine gland located in the neck, just below the Adam's apple.

The pituitary gland releases thyroid-stimulating hormone (TSH), which signals the thyroid gland to produce thyroid hormones – thyroxine (T4) and triiodothyronine (T3). These hormones influence various bodily functions, including energy production, temperature regulation, body temperature, weight management, and heart rate.

When thyroid hormone levels are low, TSH production increases, and vice versa. This negative feedback loop helps maintain thyroid hormone balance.



Paloma

Hashimoto's Thyroiditis and Normal Antibodies

In Hashimoto's Thyroiditis, the immune system targets the thyroid tissue, producing antibodies against thyroid components. These antibodies include thyroid peroxidase (TPOAb) and thyroglobulin (TgAb), which attack specific proteins in the thyroid gland. Elevated levels of these antibodies in the blood indicate autoimmune activity and ongoing thyroid inflammation, which can lead to hypothyroidism over time.

In some cases, Hashimoto's Thyroiditis can present with normal levels of thyroid antibodies, making diagnosis more challenging. Medical practitioners should consider the patient's symptoms, thyroid function tests, and imaging studies to diagnose this variant of the disease accurately.

Paloma

Diagnosing & Treatment of Hashimoto's Thyroiditis

Diagnosing Hashimoto's Thyroiditis involves a combination of clinical evaluation, physical examination, and laboratory tests.

Blood tests measuring thyroid hormone levels, TPOAb, and TgAb are crucial in confirming the diagnosis. However, requesting an in-depth, which includes TSH, FreeT4, FreeT3, and Reverse T3 is always recommended.

Imaging techniques like an ultrasound may also assess the thyroid's size and structure.

Because Hashimoto's Thyroiditis typically leads to hypothyroidism due to the gradual destruction of thyroid tissue, the primary goal of treatment is to restore thyroid hormone levels to normal, manage symptoms of hypothyroidism if needed, and reduce inflammation.

Paloma

Thyroid hormone replacement medications are prescribed to replace missing thyroid hormone and normalize these levels. The medications include:

- Levothyroxine, a synthetic version of the thyroxine (T4) hormone, available as tablets, gel caps, or liquid form
- Liothyronine, a synthetic version of the triiodothyronine (T3) hormone, available as a tablet
- Natural desiccated thyroid, a natural drug derived from the thyroid gland of pigs, that includes natural forms of both T4 and T3, available as tablets

While Hashimoto's usually leads to hypothyroidism, in some cases, thyroid hormone levels can temporarily spike, leading to hyperthyroidism. Treatment varies based on whether the patient is experiencing hypothyroidism or hyperthyroidism. Hypothyroidism is typically managed with thyroid hormone replacement therapy, while hyperthyroidism may require medications to suppress thyroid function or more interventions.

Since managing inflammation is a key aspect of treating Hashimoto's Thyroiditis, lifestyle factors, such as maintaining a balanced diet rich in nutrients, managing stress, engaging in regular physical activity, ensuring adequate sleep, and practicing relaxation techniques, can contribute to reducing inflammation, relieving symptoms, and promoting overall well-being.

Getting an Ultrasound?

Ultrasound imaging is a non-invasive technique that uses high-frequency sound waves to create detailed images of the inside of the body.

An ultrasound can be valuable for evaluating Hashimoto’s Thyroiditis in several ways:

1. Detecting a Goiter Enlargement

One of the hallmark signs of Hashimoto's thyroiditis is thyroid gland enlargement, known as goiter. An ultrasound can accurately measure the size of the thyroid gland and detect any enlargement, allowing medical professionals to assess the extent of the inflammation and tissue damage.

2. Tissue Changes Indicative of Inflammation

Hashimoto's thyroiditis leads to inflammation in the thyroid tissue. This inflammation can cause specific changes in the appearance of the thyroid gland when visualized through ultrasound. Medical professionals experienced in reading these images can identify patterns that suggest ongoing inflammation, helping to differentiate Hashimoto's from other thyroid conditions.

3. Increased Vascularity

Inflammation often leads to increased blood flow in the affected area. An ultrasound can reveal increased blood flow within the thyroid gland in Hashimoto's thyroiditis. This increased blood flow can indicate ongoing inflammation and is a characteristic feature of Hashimoto's.

4. Thyroid Nodules

While not specific to Hashimoto's, thyroid nodules can sometimes be present alongside the condition. An ultrasound can help identify these nodules' presence, size, and characteristics. However, it's important to note that not all thyroid nodules are related to Hashimoto's, as they can be caused by other factors.

It's worth mentioning that while ultrasound imaging can provide valuable information, it is not typically ordered for every patient suspected of having Hashimoto's thyroiditis. Instead, it is often reserved for cases where antibody tests are inconclusive or unavailable or when a more detailed assessment of the thyroid gland's structure and condition is needed.

Before ordering an ultrasound, medical providers should consider a patient's symptoms, medical history, and other clinical findings.

In summary, ultrasound imaging can be a valuable tool in diagnosing Hashimoto's thyroiditis.

Paloma

Resources and References

PharmD, E. W. (2023, October 4). Hashimoto's Disease and TPO Antibodies. https://www.palomahealth.com/learn/hashimotos-disease-tpo-antibodies

What is Hashimoto's Thyroiditis? | Paloma Health. (n.d.). https://www.palomahealth.com/what-is-hashimotos-hypothyroidism

National Institute of Diabetes and Digestive and Kidney Diseases (NIDDK). (2023, July 19). National Institute of Diabetes and Digestive and Kidney Diseases. https://www.niddk.nih.gov/

ATA. (2023, September 26). Homepage | American Thyroid Association. American Thyroid Association. https://www.thyroid.org/